# PROMOTIONS



Valid from January 1 to June 30, 2023







# UNIQUELY DESIGNED INSERTS FOR HIGH VERSATILITY, ECONOMY AND PRODUCTIVITY

Front Turning, Back Turning, Profiling, and Face Turning with ONE SINGLE TOOL



**GET 1** holder



**BUY 20** inserts

....

**GET 1CHP** holder

50 %
additional
discount!
Promo code: TUS52

6C-TOMG

6 corners 80° degrees



**6V-TOMG** 


6 corners 35° degrees



3C-TCMT

3 corners (positive insert) 35° degrees





### BOREMEISTER

Valid from January 1 to June 30, 2023




# VIBRATION FREE SOLUTION FOR DEEP HOLE BORING

A wide range of boring heads are available, providing high parts quality in various boring operations








Boring head: S-SCLCR/L-H, S-SDUCR/L-H, S-SVUCR/L-H, S-STFPR/L-H, S-SXUOR-H, S-SNR-H BoreMeister is comprised of the anti-vibration bar and interchangeable boring head, featuring serrated interfaces for high precision indexing.





## TETRAFCUT/TETRAMCUT



Valid from January 1 to June 30, 2023

## **MULTI-PURPOSE GROOVING** INSERT WITH ECONOMICAL **4 CUTTING EDGES**

Ground insert clamps into unique insert pocket and provides high rigidity as well as repeatability

**BUY 10** inserts

**GET 1** holder

**60 %** additional discount!

**BUY 10** inserts

**GET 1CHP** holder

40 % additional discount!

Insert:

TCL.., TCM..., TCS..., TCF..., TCG..., TCP...

CW = 0.013" - 0.157"

Grade:


AH7025, AH725,

SH725

Toolholder: STC...., STC...-CHP H = 0.375" - 1.25"

TetraForce-Cut 27 - Promo code: TUS49
TetraForce-Cut 38 - Promo code: TUS50
TetraMini-Cut - Promo code: TUS51









## **MAXIMUM SPEED AND EFFICIENCY** AT MINIMUM SIZE

Small diameter high feed milling cutter for expanded application coverage, featuring cutter bodies as small as Ø0.375" (Ø8 mm)



**GET 1**Cutter



#### Insert:

LNMU02-MM (AH130, AH3225, AH8015)

APMX = 0.02" (0.5 mm)

#### Shank type:

EXN02R... (Short type)

EXN02R\*\*L... (Long type)

 $DCX = \emptyset 0.375" - \emptyset 1.000",$ 

ø8 - ø25 mm

### Modular type:

HXN02R...

 $DCX = \emptyset8 - \emptyset25 \, mm$ 









## HIGHLY-VERSATILE FACE MILLING CUTTERS FOR A WIDE VARIETY OF MATERIALS

DoTriple-Mill features an improved dovetail clamping structure and offers triple advantage of using square, octagonal, and round inserts in the same pocket



**FREE** of charge! **Promo code: TUS45** 



SN\*U Double-sided, square insert



Double-sided, octagonal insert



Double-sided, round insert

Limited up to diameter 5 inch or 125 mm

#### Insert:

SN\*U-MJ/MH/W (AH120, AH3135, AH3225, T1215, T3225)

APMX = 0.236" (6 mm)

ON\*U-MJ/W (AH120, AH3135, AH3225, T1215, T3225) APMX = 0.134" (3.4 mm)

RNMU-MJ (AH120, AH3135, AH3225, T1215, T3225)

APMX = 0.236" (6 mm)

#### Bore type: TASN13

 $DC = \emptyset 2.000$ " -  $\emptyset 5.000$ ", ø50 - ø125mm









# **NEW SIZE -04 AND -12 INSERTS** FOR ENHANCED SHOULDER MILLING CAPABILITY

ADD a broadened range of unique V-bottom shape inserts for higher productivity

BUY 10 inserts per pocket up to max 50 inserts

**GET 1**Cutter

**50 %** additional discount!

Size 04 - Promo code: TUS43
Size 12 - Promo code: TUS44

#### Insert:

**AVMT04-MM (AH120, AH3225, T3225, T1215)** APMX = 4mm

**AVMT12-MM (AH120, AH3225, T3225, T1215)** APMX = 0.453" (11.5 mm)

AVGT12-AM (KS05F)

APMX = 0.453"

Bore type: TPAV12

DC = Ø1.5", Ø2.0" Ø50, Ø63 mm Modular type: HPAV12

 $DC = Ø10 - Ø40 \, mm$ 

Shank type:


**EPAV04** (Short type)  $DC = \emptyset6 - \emptyset16 \text{ mm}$ 

**EPAV\*\*L04** (Long type) DC = Ø8 - Ø16 mm

**EPAV12** (Short type) DC = Ø0.625" - Ø1.250", Ø12 - Ø32 mm

**EPAV\*\*L12** (Long type) DC = Ø0.625" -Ø1.250", Ø16 - Ø32 mm









## **HEAD-CHANGEABLE DRILL FOR DRILLING LARGE HOLES**

Unique clamping concept and two effective cutting edges on the drill head provide excellent hole quality and high productivity



**GET 1** drill body (3xD) at

Promo code: TUS46

## BUY 6 drill heads

**GET 1 drill body** (5xD) at



#### Drill head:

SMP..., SMF..., (AH9130, AH725)  $DC = \emptyset 1.024$ " -  $\emptyset 1.614$ " ( $\emptyset 26 - \emptyset 41$  mm)

#### Drill bodies:

**TISU...** (L/D = 3, 5),  $\emptyset$ 1.024" and higher






**SMP** 



# TUNGALOY THE APP

# Get access to everything!



Push up Notifications Barcode Scanner

Access to:

News

Press Releases

Technical Articles

Videos

Webshop

e-Catalog

TungNavi

**Products** 

**Industries** 

Insert Converter

and much more....











Tungaloy America, Inc. 3726 N Ventura Dr. Arlington Heights, IL 60004

tungaloy.com/us

Toll Free: 888.554.8394

Technical Help: 888.554.9391

# Distributed by:



